

SuryaNamaskar Clock

By **Sugandha ji Ganesh** - New Jersey

GUIDELINES TO MAKE SURYANAMASKAR CLOCK


THINGS NEEDED-

1. A print out of template of 12 Suryanamaskar poses
2. A thick construction paper or the cardboard from a cereal box cut into same size as the Suryanamaskar print out.
3. A clock making kit.
(You may find many online sites which sell these kits in wholesale for 3.5 to 4.00\$)
4. Scissors
5. Glue
6. A sharp object to drill hole




STEPS:

1. Glue the construction paper or the cardboard on the back side of Suryanamaskar Template.
2. If any part of construction paper shows, trim it.
3. Let it dry.
4. WITH THE HELP OF AN ADULT, make a hole in the center, big enough for the shaft of the clock to just go in. The hole should not be bigger than the shaft or the clock won't fit.
5. The clock kit has the Assembly instructions. Please follow the instructions as given.
6. Carefully fix a battery in the given socket.
7. Your clock is ready.
8. Just above the battery, there is a hole. The clock could be fixed on a nail in this hole.

HAPPY YOGATHON!!!



Craft Material:



La fabrication d'horloges rendue facile!
 Easy Assembly • Facile à assembler

Remove components from shaft.

1. Place rubber cushion over shaft.
2. Insert shaft through hole in clock surface.
3. Insert shaft through clock face (if appropriate).
4. Place dial plate washer over shaft.
5. Attach dial fixing hex nut.
6. Attach hour hand and press lightly.
7. Attach minute hand.
8. Lightly screw minute nut in place.
9. Press second hand in place.

Retirer les composants de l'arbre.

1. Introduire le coussinet de caoutchouc dans l'arbre.
2. Introduire l'arbre à travers le trou dans la surface de l'horloge.
3. Introduire l'arbre à travers la face de l'horloge (s'il y a lieu).
4. Introduire la rondelle du cadran dans l'arbre.
5. Fixer l'écrou hexagonal de retenue du cadran.
6. Fixer l'aiguille des heures en exerçant une légère pression.
7. Fixer l'aiguille des minutes.
8. Servir délicatement l'écrou de l'aiguille des minutes.
9. Mettre l'aiguille des secondes en place en exerçant une légère pression.

Insert a fresh battery (not included) and your clock will begin to keep time. The time can be set by turning the time-set knob on the back of the clock movement.

Your Warranty
 Walnut Hollow® warrants this clock movement to be free from defects in material and workmanship. If this product has a manufacturing defect or flaw, please return the product for a replacement. As with any other product, our warranty does not cover damage resulting from consumer mishandling.

Notre Garantie
 Walnut Hollow® garantit ce mouvement d'horloge sans défaut de matériau et de fabrication. Si ce produit montre un défaut ou une imperfection de fabrication, veuillez le retourner pour un remplacement.

